

**Kartell**

**POP**

design Piero Lissoni with Carlo Tamborini

**LINEN & WOOL KVADRAT® FABRICS**

# POP

KVADRAT® DMINA 3 WOOL FABRICS



**80** BIANCO / WHITE / BLANC / BLANCO **81** MARRONE / BROWN / MARRON / MARRON **82** ARANCIO / ORANGE / ORANGE  
NARANJA **83** ROSSO / RED / ROUGE / ROJO **84** VIOLA / VIOLET / VIOLET / VIOLETA **85** BLU / BLUE / BLEU / AZUL  
**86** AZZURRO / LIGHT BLUE / BLEU CIEL / AZUL CLARO **87** GRIGIO / GREY / GRIS / GRIS **88** NERO / BLACK / NOIR / NEGRO

# Kartell

## POP

### LINEN FABRICS

03

08

01

07

09

03 BIANCO / WHITE / BLANC / BLANCO 08 BEIGE / BEIGE / BEIGE / CRUDO 01 MARRONE / BROWN / MARRON  
MARRÓN 07 GRIGIO / GREY / GRIS / GRIS 09 NERO / BLACK / NOIR / NEGRO

# POP

## KVADRAT® DIVINA 3 WOOL FABRICS

### COMPOSIZIONE / COMPOSITION / COMPOSITION / COMPOSICIÓN

100% PURA LANA VERGINE / 100% PURE VIRGIN WOOL / 100% PURE LAINE VIERGE / 100% PURA LANA VIRGEN

### RESISTENZA ALL'ABRASIONE (CICLI) / ABRASION RESISTANCE (RUBS) / RÉSISTANCE À L'ABRASION (TOURS) RESISTENCIA A LA ABRASIÓN (CICLOS)

45.000 MARTINDALE

### SOLIDITÀ DEL COLORE ALLA LUCE / LIGHT FASTNESS / SOLIDITÉ À LA LUMIÈRE RESISTENCIA DEL COLOR A LA LUZ

5-7 (ISO 1-8)

### SOLIDITÀ DEL COLORE ALLO SFREGAMENTO / FASTNESS TO RUBBING / SOLIDITÉ AU FROTTEMENT RESISTENCIA DEL COLOR A LA FRICCIÓN

CROCKMETER 5/6 UNI EN ISO 105-B02

### REAZIONE AL FUOCO / FLAMMABILITY / CLASSEMENT AU FEU / COMPORTAMIENTO AL FUEGO

AS/NZS 1530.3, BS 5852, ig. s. 2-5, DIN 4102 B2, EN 1021 - 1/2, IMO A.652(16), UNI 9175, 1IM, US Cal. Tech. Bull. 117  
ÖNORM B1/Q1

### MANUTENZIONE E LAVAGGIO / CLEANING AND WASHING / NETTOYAGE ET LAVAGE / MANTENIMIENTO Y LAVADO



SU RICHIESTA - ON REQUEST  
SUR DEMANDE - BAJO DEMANDA

# POP

## LINEN FABRICS

### COMPOSIZIONE / COMPOSITION / COMPOSITION / COMPOSICIÓN

80% LINO, 20% COTONE / 80% LINEN, 20% COTTON / 80% LIN, 20% COTON / 80% LINO, 20% ALGODÓN

### RESISTENZA ALL'ABRASIONE (CICLI) / ABRASION RESISTANCE (RUBS) / RÉSISTANCE À L'ABRASION (TOURS) / RESISTENCIA A LA ABRASIÓN (CICLOS)

30.000 MARTINDALE

### SOLIDITÀ DEL COLORE ALLA LUCE / LIGHT FASTNESS / SOLIDITÉ À LA LUMIÈRE RESISTENCIA DEL COLOR A LA LUZ

XENOTEST 4/5 UNI EN ISO 105-B02

### SOLIDITÀ DEL COLORE ALLO SFREGAMENTO / FASTNESS TO RUBBING / SOLIDITÉ AU FROTTEMENT RESISTENCIA DEL COLOR A LA FRICCIÓN

CROCKMETER 3/4 UNI EN ISO 105-X12

### MANUTENZIONE E LAVAGGIO / CLEANING AND WASHING / NETTOYAGE ET LAVAGE / MANTENIMIENTO Y LAVADO



# POP

design Piero Lissoni con Carlo Tamborini



KARTELL NON GARANTISCE LA STESSA TONALITÀ DI COLORE TRA I DIVERSI LOTTI DI PRODUZIONE / KARTELL DOES NOT GUARANTEE THAT THE COLOURS BETWEEN THE DIFFERENT LOTS OF PRODUCTION WILL BE THE SAME  
KARTELL NE GARANTIT PAS LA MÊME TONALITE DE COULEUR ENTRE LES DIFFÉRENTS LOTS DE PRODUCTION  
KARTELL NO GARANTIZA LA MISMA TONALIDAD DE COLOR DE LOS DISTINTOS LOTES DE PRODUCCIÓN.