

Kartell

POP

design Piero Lissoni with Carlo Tamborini

COTTON & TREVIRA™ FABRICS

POP

COTTON FABRICS



41 BIANCO / WHITE / BLANC / BLANCO **45** ECRÙ / ECRU / ÉCRU / CRUDO **42** TORTORA / DOVE / TOURTERELLE / TORTOLA
40 ARANCIO / ORANGE / ORANGE NARANJA **46** OCRA / OCHRE / TERRE DE SIENNE / TEJA **43** ROSSO / RED
ROUGE / ROJO **47** VERDE / GREEN / VERT / VERDE **48** BLU / BLUE / BLEU / AZUL **44** GRIGIO / GREY / GRIS / GRIS

Kartell

POP

TREVIRA™ FABRICS



03 BIANCO / WHITE / BLANC / BLANCO **13** ECRÙ / ECRU / ÉCRU / CRUDO **07** TORTORA / DOVE / TOURTERELLE
TORTOLA **12** SENAPE / MUSTARD / MOUTARDE / MOUSTAZA **02** ARANCIO / ORANGE / ORANGE / NARANJA **10** ROSSO
RED / ROUGE / ROJO **09** NERO / BLACK / NOIR / NEGRO

POP

COTTON FABRICS

COMPOSIZIONE / COMPOSITION / COMPOSITION / COMPOSICIÓN

100% COTONE / 100% COTTON / 100% COTON / 100% ALGODÓN

RESISTENZA ALL'ABRASIONE (CICLI) / ABRASION RESISTANCE (RUBS)

RÉSISTANCE À L'ABRASION (TOURS) / RESISTENCIA A LA ABRASIÓN (CICLOS)

30.000 MARTINDALE UNI EN ISO 12947/2

SOLIDITÀ DEL COLORE ALLA LUCE / LIGHT FASTNESS / SOLIDITÉ À LA LUMIÈRE

RESISTENCIA DEL COLOR A LA LUZ

XENOTEST 6 UNI EN ISO 105-B02

SOLIDITÀ DEL COLORE ALLO SFREGAMENTO / FASTNESS TO RUBBING / SOLIDITÉ AU FROTTEMENT

RESISTENCIA DEL COLOR A LA FRICCIÓN

CROCKMETER 4 UNI EN ISO 105-X12

REAZIONE AL FUOCO / FLAMMABILITY / CLASSEMENT AU FEU / COMPORTAMIENTO AL FUEGO

CLASSE 1IM, BS5852, EN 1021, TB 117

MANUTENZIONE E LAVAGGIO / CLEANING AND WASHING / NETTOYAGE ET LAVAGE / MANTENIMIENTO Y LAVADO



SU RICHIESTA - ON REQUEST
SUR DEMANDE - BAJO DEMANDA

POP

TREVIRA™ FABRICS

COMPOSIZIONE / COMPOSITION / COMPOSITION / COMPOSICIÓN

100% POLIESTERE TREVIRA™ / 100% POLYESTER TREVIRA™ / 100% POLYESTER TREVIRA™ / 100% POLIÉSTER TREVIRA™

RESISTENZA ALL'ABRASIONE (CICLI) / ABRASION RESISTANCE (RUBS)

RÉSISTANCE À L'ABRASION (TOURS) / RESISTENCIA A LA ABRASIÓN (CICLOS)

100.000 MARTINDALE - UNI EN ISO 12947-2

SOLIDITÀ DEL COLORE ALLA LUCE / LIGHT FASTNESS / SOLIDITÉ À LA LUMIÈRE

RESISTENCIA DEL COLOR A LA LUZ

6 - UNI EN ISO 105-B02

SOLIDITÀ DEL COLORE ALLO SFREGAMENTO / FASTNESS TO RUBBING / SOLIDITÉ AU FROTTEMENT

RESISTENCIA DEL COLOR A LA FRICCIÓN

CROCKMETER 4/5 UNI EN ISO 105-X12

REAZIONE AL FUOCO / FLAMMABILITY / CLASSEMENT AU FEU / COMPORTAMIENTO AL FUEGO

C1 (I) - CRIB 5 (BG) - M1 (F) - B1 (D) - EN 1021/1-2 - IMO A 652 (16)


MANUTENZIONE E LAVAGGIO / CLEANING AND WASHING / NETTOYAGE ET LAVAGE / MANTENIMIENTO Y LAVADO



SU RICHIESTA - ON REQUEST
SUR DEMANDE - BAJO DEMANDA

POP

design Piero Lissoni con Carlo Tamborini



KARTELL NON GARANTISCE LA STESSA TONALITÀ DI COLORE TRA I DIVERSI LOTTI DI PRODUZIONE / KARTELL DOES NOT GUARANTEE THAT THE COLOURS BETWEEN THE DIFFERENT LOTS OF PRODUCTION WILL BE THE SAME
KARTELL NE GARANTIT PAS LA MÊME TONALITE DE COULEUR ENTRE LES DIFFÉRENTS LOTS DE PRODUCTION
KARTELL NO GARANTIZA LA MISMA TONALIDAD DE COLOR DE LOS DISTINTOS LOTES DE PRODUCCIÓN.